

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4102	709/229.cdis. (@ad<"20031010" OR @riad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36
L2	8811	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad<"20031010" OR @riad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36
L3	60	(AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @riad<"20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:36
L4	10	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37
L5	17	RADIUS AAA ("access- accept" or "access accept") (start with session) (log or logging) @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37
L6	5004	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @riad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2010/05/04 15:37
S1	3171	709/229.cdis. (@ad<"20031010" OR @riad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29
S2	10727	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @riad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:29

S3	4845	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:31
S4	6545	((AAA or authentication or authorization) WITH server) (accounting OR log OR logging or record) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:41
S5	4956	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S6	3761	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S7	8144	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:35
S8	668	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:36
S9	154	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @riad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/25 14:48

S10	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 12:46
S11	1	("7088681").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/25 16:12
S12	82	((AAA OR (authentication WITH authorization WITH accounting)) WITH server) (log OR logging or record or store) (LDAP or "lightweight directory access protocol") (@ad<"20031010" OR @rlad<"20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access" or "TACACS+" or SAML or "security assertion markup language" or "Diameter")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/07/26 13:21
S13	1	("20040258031").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19
S14	1	("20030035409").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/07/26 14:19
S15	1288	((AAA or authentication or authorization) WITH server) RADIUS (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:43
S16	3355	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:42

S17	1047	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:44
S18	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:45
S19	112	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 13:46
S20	70	((AAA) RADIUS (log or logging or record) (session WITH start) (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:01
S21	41	((AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 14:03
S22	31	((AAA) RADIUS (log or logging or record) (session WITH start) accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:26
S23	1	("20020046277").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/18 14:20
S24	223	((AAA) RADIUS (log or logging or record) session accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29
S25	42	((AAA) RADIUS (log or logging or record) session SAME start accept (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/18 15:29

S26	248678	((AAA RADIUS (log or logging or record) stateless start OR accept (@ad< "20031010") not cisco. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:48
S27	5291	((AAA or (authentication with authorization with accounting))) (log or logging or logged) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50
S28	11	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:50
S29	69	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit) adj3 (record or account or accounting) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 15:55
S30	59	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 16:52
S31	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept) adj2 (record) (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:07
S32	7	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad< "20031010" OR @riad< "20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:10

S33	5	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:12
S34	4	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (accept or message) with ("account record" or "accounting record") (@ad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:13
S35	25	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/12 17:27
S36	0	("6947725".pn.).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:28
S37	1	("6947725").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/12 17:29
S38	1	((AAA or (authentication with authorization with accounting))) (log or logging or logged) stateless (@ad<"20031010" OR @rlad<"20031010") not cisco.as. "6947725".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/13 14:36
S39	3707	709/229.cdis. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20
S40	12571	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/12/16 16:20

S41	63	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS (start or send or transmit accept) adj2 (record or account or accounting) (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR, EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S42	795	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; USOCR, EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S43	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR, EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S44	180	((AAA or authentication or authorization or accounting) WITH server) (log OR logging or record) (LDAP or "lightweight directory access protocol") (@ad< "20031010" OR @rlad< "20031010") (RADIUS or "remote authentication dial in user service" or TACACS or "terminal access controller access-control system" or "terminal access controller access control system")	US-PGPUB; USPAT; USOCR, EPO; IBM_TDB	AND	ON	2008/12/17 13:57
S45	128	((AAA or authentication or authorization) WITH server) RADIUS (log or logging or record) (session WITH start) (@ad< "20031010" OR @rlad< "20031010") not cisco. as	US-PGPUB; USPAT; USOCR, EPO; IBM_TDB	AND	ON	2008/12/17 13:57

S46	73	RADIUS EAP AAA @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/27 16:03
S47	1489	RADIUS AAA @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:28
S48	82	RADIUS AAA ("access- accept") @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:28
S49	133	RADIUS AAA ("access- accept" or "access accept") @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 14:29
S50	41	RADIUS AAA ("access- accept" or "access accept") (start with session) @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S51	16	RADIUS AAA ("access- accept" or "access accept") (start with session) (log or logging) @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S52	9163	"726"/\$.cds. @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S53	62	"726"/\$.cds. RADIUS AAA @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/28 15:55
S54	1	("6430619").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/29 13:29
S55	1	("7293096").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/29 13:37
S56	18	RADIUS AAA ("access- accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) @ad< "20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:31

S57	7	RADIUS AAA ("access-accept" or "access accept") ((common or universal or portable or single) with session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:31
S58	8	RADIUS ("access-accept" or "access accept") (AAA with session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:41
S59	9	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA with session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:42
S60	14	RADIUS ("access-accept" or "access accept" or (access with accept)) (AAA SAME session) (log or logging) not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:43
S61	81	RADIUS ("access-accept" or "access accept") AAA not cisco.as. @ad<"20031010"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/29 14:44
S62	3970	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/01 17:42
S63	3971	709/229.ccls. (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S64	12	((AAA or (authentication with authorization with accounting))) (log or logging or logged) RADIUS stateless (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S65	13632	((AAA or authentication or authorization or accounting) WITH server) (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28
S66	4824	((AAA or authentication or authorization or accounting) WITH server) (log OR logging) record (@ad<"20031010" OR @rlad<"20031010")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/12/03 12:28

< This search history is empty >

5/ 4/ 10 3:37:14 PM

C:\ Documents and Settings\ ntaylor5\ My Documents\ EAST\ Workspaces\ app10.683918.wsp